2013

American Indian High School Students On or Near a Reservation

§ 1999-2013 Trend Data

Montana Youth Risk Behavior Survey

Montana Office of Public Instruction Health Enhancement and Safety Division June 2013



Injury and Violence	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who	1999	2001	2003	2003	2007	2009	2011	2013
Rode a bicycle and never or rarely wore a bicycle helmet during the past 12 months	96.6	93.6	95.1	96.9	95.9	93.1	92.8	94.0
Never or rarely wore a seat belt when riding in a car driven by someone else	34.5	30.0	29.5	27.8	25.7	21.9	15.7	20.5
Never or rarely wore a seat belt when driving a car		37.3	38.1	35.8	32.4	29.9	18.7	18.5
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	53.3	47.6	43.6	47.3	45.8	41.9	37.4	31.9
Drove a car when they had been drinking alcohol during the past 30 days	27.2	24.8	21.3	25.5	22.6	17.5	15.7	16.6
Texted or e-mailed while driving a car during the past 30 days							51.3	50.1
Talked on a cell phone while driving a car during the past 30 days							46.9	48.1
Carried a weapon such as a gun, knife, or club during the past 30 days	21.4	24.0	17.3	20.0	20.1	19.0	15.2	19.8
Carried a gun during the past 30 days	9.1	12.6	8.7	10.6	9.6	9.4	9.8	12.3
Carried a weapon on school property during the past 30 days	12.2	11.8	8.7	10.5	10.3	5.8	5.6	7.4
Had property such as their car, clothing, or books stolen or deliberately damaged on school property during the past 12 months			26.2	27.7	22.2	-	25.1	25.5
Did not go to school because they felt unsafe at school or on their way to or from school during the past 30 days	8.9	11.0	7.3	7.7	10.2	8.6	9.1	9.2
Had been threatened or injured with a weapon on school property during the past 12 months	9.1	11.8	6.8	9.8	7.8	5.5	5.3	6.4
Were in a physical fight during the past 12 months	43.9	41.1	40.8	43.9	42.2	45.8	36.2	34.9
Were injured in a physical fight that required medical treatment during the past 12 months	9.0	9.4	6.6	8.6	8.0	6.2	4.6	5.3
Were in a physical fight on school property during the past 12 months	14.9	17.0	15.2	16.1	16.8	17.1	13.1	14.8

Injury and Violence								
-continued	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who	.000							
Were hit, slapped, or physically hurt								
on purpose by their boyfriend or	16.9	13.5	15.2	13.6	16.2	14.3	12.5	NA
girlfriend during the past 12 months	10.0	10.0		1010		1	12.0	
Have ever been physically forced to								
have sexual intercourse when they	14.6	11.1	8.8	12.8	11.4	11.3	9.5	10.1
did not want to								
Of dating students, were purposely								
hit, slammed into something, or								
injured with an object or weapon by								12.3
someone they were dating during								
the past 12 months								
Of dating students, were forced to								
do sexual things (e.g., kissing,								
touching, or being physically forced								10.1
to have sexual intercourse) by								1011
someone they were dating or going								
out with during the past 12 months								
Had been bullied on school property						21.7	20.9	21.1
during the past 12 months								
Had been electronically bullied,								
such as through e-mail, chat rooms,						47.5	47.0	400
instant messaging, Web sites, or						17.5	17.6	16.8
text messaging during the past 12								
months Had been the victim of teasing,								
name calling or bullying because								
someone thought they were gay,								15.1
lesbian, or bisexual during the past								13.1
12 months								
Have ever been choked by								
someone or tried to choke								
themselves on purpose for the								
feeling or experience it caused (e.g.,								11.9
Choking Game, Knock Out, Space								
Monkey, Flatlining or the Fainting								
Game)								
Felt so sad or hopeless for two								
weeks or more in a row that they	32.4	31.1	30.0	32.4	32.8	32.1	32.9	33.2
stopped doing some usual activities	32.4	31.1	30.0	32.4	32.0	32.1	32.9	33.2
during the past 12 months								
Seriously considered attempting	21.6	24.2	17.5	22.3	18.1	19.6	20.6	20.8
suicide during the past 12 months	21.0	£4.£	17.5	22.5	10.1	13.0	20.0	20.0
Made a plan about how they would	1 _	_	1 _	_	_	_		
attempt suicide during the past 12	18.2	20.1	14.0	18.9	17.6	16.6	15.3	17.5
months								
Actually attempted suicide during	16.2	20.4	15.3	16.6	15.8	18.0	16.2	15.1
the past 12 months								
Had a suicide attempt resulting in	1		1					
injury, poisoning, or overdose that	8.0	7.4	4.3	5.1	4.9	5.2	4.9	6.1
required medical treatment during			1					
the past 12 months	<u> </u>		<u> </u>					

Tobacco Use Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Ever tried cigarette smoking	86.9	83.7	84.5	82.9	83.4	79.1	74.1	65.6
Smoked a cigarette before age 13	41.8	46.2	42.2	41.5	33.5	33.1	29.7	25.9
Smoked a cigarette on one or more of the past 30 days ("current")	53.4	51.5	52.1	52.2	47.9	44.1	40.5	37.3
Smoked cigarettes on 20 or more of the past 30 days ("frequent")	27.4	25.2	21.8	17.9	15.0	16.0	14.7	12.5
Among current smokers, smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	10.0	9.5	5.1	7.0	3.8	2.3	1.3	3.4
Usually got their cigarettes by buying them in a store or gas station during the past 30 days		13.9	10.7	13.6	10.4	9.0	11.6	9.5
Smoked cigarettes on school property during the past 30 days	22.8	24.4	18.6	20.5	18.5	14.4	14.2	9.9
Ever smoked cigarettes daily; that is, at least one cigarette every day for 30 days ("regular")	41.2	34.2	33.0	30.4	29.6	26.5	25.6	22.4
Among current smokers, tried to quit smoking during the past 12 months		42.9	37.4	37.1	68.9	66.7	67.4	66.7
Used chewing tobacco, snuff, or dip during the past 30 days	21.9	26.3	20.8	28.8	25.8	22.7	27.5	19.6
Used chewing tobacco, snuff, or dip on school property during the past 30 days	16.0	18.7	16.0	21.0	18.7	14.2	17.7	13.0
Smoked cigars, cigarillos, or little cigars during the past 30 days	12.4	12.6	10.9	15.3	13.6	11.0	12.0	12.0

Alcohol and Other Drug Use Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Had at least one drink of alcohol during their life	83.6	77.2	77.7	83.1	78.6	76.0	70.0	66.9
Had first drink of alcohol before age 13	31.1	37.4	31.5	31.2	31.1	29.3	24.3	24.0
Had at least one drink of alcohol during the past 30 days ("current")	55.0	54.8	48.8	56.3	53.9	45.9	39.9	36.0
Had at least one drink of alcohol on school property during the past 30 days	10.9	14.0	10.9	12.1	12.2	8.3	6.5	5.9
Had five or more drinks of alcohol in a row during the past 30 days ("binge drink")	47.8	47.0	42.7	44.9	45.7	38.3	31.0	25.2
Had 10 or more drinks within a couple hours during the past 30 days								10.3
Among current users of alcohol, usually got the alcohol they drank from someone who gave it to them during the past 30 days						25.8	10.2	24.2
Used marijuana during their life	73.9	72.6	74.2	74.7	69.9	67.5	68.1	65.3
Tried marijuana before age 13	31.0	37.1	35.4	37.9	30.8	34.1	31.0	29.5
Used marijuana during the past 30 days ("current")	51.2	50.1	44.6	51.0	44.1	41.5	43.2	44.0
Used marijuana on school property during the past 30 days	16.8	20.5	15.9	15.9	15.9	11.0	14.3	12.4
Used any form of cocaine during their life	21.4	19.1	15.1	15.4	14.7	10.7	9.8	8.9
Used any form of cocaine during the past 30 days ("current")	10.2	11.4	6.1	6.6	6.4	4.2	4.0	NA
Used inhalants during their life	24.2	20.0	21.3	23.5	24.9	29.2	23.7	19.0
Used inhalants during the past 30 days								6.7
Used heroin during their life	5.3	5.7	2.4	2.8	3.8	2.3	3.2	2.9
Used methamphetamines during their life	26.8	22.8	15.8	15.2	10.8	5.6	5.2	7.1
Used ecstasy during their life			8.0	6.9	7.4	9.7	9.0	11.0
Took steroid pills or shots without a doctor's prescription during their life	7.3	10.1	6.1	4.2	5.1	3.0	3.7	3.3

Alcohol and Other Drug Use -continued Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription							22.3	19.7
Used a needle to inject any illegal drug into their body during their life	5.3	4.5	2.8	3.8	4.4	3.3	1.7	3.0
Were offered, sold, or given an illegal drug on school property during the past 12 months	36.6	35.7	32.4	30.5	26.6	25.3	28.6	23.6

Sexual Behaviors Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Ever had sexual intercourse	63.8	61.0	66.2	69.4	67.1	67.3	67.2	68.1
Had sexual intercourse before age 13	10.8	12.6	14.5	12.6	12.7	15.0	11.4	10.4
Had sexual intercourse with four or more people during their life	26.2	20.7	27.7	29.9	26.0	29.8	27.4	27.1
Had sexual intercourse during the past three months ("current")	41.5	37.5	43.5	47.9	45.9	47.8	44.6	46.5
Drank alcohol or used drugs before last sexual intercourse	42.2	37.2	35.9	26.9	37.8	29.7	24.0	27.5
Currently sexually active and used a condom during last sexual intercourse	50.7	64.8	63.0	61.2	64.7	57.6	49.5	57.4
Currently sexually active and used birth control pills to prevent pregnancy before last sexual intercourse	6.8	7.4	11.5	10.0	8.0	8.2	10.4	11.0
Had ever been taught about AIDS or HIV infection	87.4	84.5	84.7	85.7	84.0	80.7	82.0	75.3

Weight Management and Dietary Behaviors Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Described themselves as slightly or very overweight	37.9	38.3	38.5	39.8	39.2	39.1	36.5	37.3
Were trying to lose weight	47.0	51.3	50.2	52.3	51.6	54.4	51.3	53.4
Went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	17.4	22.8	15.3	18.5	15.1	15.9	19.0	17.8
Took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	12.7	10.4	10.7	7.4	7.5	7.8	5.0	7.1
Vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	7.4	8.6	5.6	8.2	7.7	5.4	5.0	7.4
Drank 100% fruit juices during the past seven days	85.7	85.0	84.4	82.8	84.0	82.3	84.3	82.1
Ate fruit during the past seven days	86.9	88.8	87.4	88.4	87.9	88.4	88.8	88.5
Ate green salad during the past seven days	67.9	70.5	66.3	64.0	61.0	62.1	67.5	63.5
Ate potatoes during the past seven days	73.1	76.5	69.5	68.9	70.2	69.8	70.1	66.5
Ate carrots during the past seven days	52.4	55.2	49.3	46.7	46.7	51.4	48.7	52.5
Ate other vegetables during the past seven days	81.5	82.3	76.1	75.9	78.1	76.9	76.4	75.9
Drank at least one can, bottle, or glass of soda or pop daily during the past seven days						36.6	31.1	25.2
Drank at least one can, bottle, or glass of diet soda or pop daily during the past seven days								8.3
Drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt (not sports drinks such as Gatorade or PowerAde), during the past seven days							45.1	NA
Drank three or more glasses of milk per day during the past seven days	15.2	16.8	14.4	13.5	14.8	10.8	NA	9.6

`	
L	•
	Φ
	ā
	ã
,	$\dot{\Sigma}$
,	_

Weight Management and Dietary Behaviors Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Ate breakfast daily during the past seven days							29.5	26.7
Always, most of the time, or sometimes went hungry because there was not enough food in the home during the past 30 days								16.3

Physical Activity	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who	1000							
Were physically active for a total of at least 60 minutes per day on five or more of the past seven days				27.2	40.1	41.9	49.1	48.4
Watched three or more hours per day of TV on an average school day	38.0	38.1	38.4	36.7	36.3	32.1	32.0	33.3
On an average school day, played 3 or more hours of video or computer games or used a computer for something not school-related*					17.5	23.0	27.7	37.2
Attended physical education (PE) classes on one or more days in an average week when they were in school	57.4	62.0	63.2	58.7	63.5	61.8	55.8	62.4
Attended physical education (PE) classes daily in an average week when they were in school	41.9	32.4	32.9	35.2	43.3	47.8	40.7	39.3
Played on one or more sports teams during the past 12 months	59.8	65.1	60.8	66.4	65.4	60.8	66.9	63.7

^{*} Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.

Other Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Had ever been told by a doctor or nurse that they had asthma				19.1	19.4	19.7	22.0	19.3
Had been told by a doctor or nurse that they have had asthma and who still have asthma					15.0	16.5	13.9	NA
Used a tanning device such as a sunlamp, sunbed, or tanning booth during the past 12 months								8.7
Received help from a resource teacher, speech therapist or other special education teacher during the past 12 months	18.5	19.1	23.4	15.4	16.2	20.8	20.0	20.1